



Estimated Saturated Thickness of the High Plains Aquifer, West Central Kansas Predevelopment
(KGS Open-file Report-2022-8)

Legend

- No data
- 0 - 40 feet
- 41 - 100 feet
- 101 - 150 feet
- 151 - 200 feet
- 201 - 250 feet
- 251 - 290 feet
- Mean saturated thickness value within section
- City
- Stream
- Highway (S = State, F = Federal)
- Township boundary
- County boundary
- Western Kansas Groundwater Management District No. 1 boundary
- Predevelopment well location

Projection: Lambert Conformal Conic
 Standard Parallels: 33 0 0 and 45 0 0 degrees North
 Central Meridian: -98 15 0 degrees West
 Latitude of Origin: 36 0 0 degrees North



Western Kansas Groundwater Management District No. 1

Prepared at the Kansas Geological Survey by John J. Woods and Brownie Wilson

The mean saturated thickness within each section was calculated as follows:

- 1) Estimates of predevelopment and bedrock elevations at each section center were taken from interpolated surfaces used in the GMD1 Groundwater Model (KGS OFR 2015-33).
- 2) For each section, the bedrock elevation was subtracted from the predevelopment water table elevation to estimate the saturated thickness.
- 3) Shaded sections without a numeric value have zero saturated thickness.

The Kansas Geological Survey and the Western Kansas Groundwater Management District do not guarantee this map to be free from errors or inaccuracies and disclaim any responsibility or liability for interpretations from the map or decisions based thereon.