



DUAL COMP POROSITY MICRO & DUAL IND LOG

Company **Ritchie Exploration, Inc.**

Well Fischer 10A #1

Field Unnamed

County **Ford** State **Kansas**

Location: API #: 15-057-21064-00-00

1934 FNL & 1777 FEL

BHCS

SEC 10 TWP 26S RGE 24W

	Permanent Datum	Ground Level
1	87.0	96.0
2	87.0	96.0
3	87.0	96.0
4	87.0	96.0
5	87.0	96.0
6	87.0	96.0
7	87.0	96.0
8	87.0	96.0
9	87.0	96.0
10	87.0	96.0
11	87.0	96.0
12	87.0	96.0
13	87.0	96.0
14	87.0	96.0
15	87.0	96.0
16	87.0	96.0
17	87.0	96.0
18	87.0	96.0
19	87.0	96.0
20	87.0	96.0
21	87.0	96.0
22	87.0	96.0
23	87.0	96.0
24	87.0	96.0
25	87.0	96.0
26	87.0	96.0
27	87.0	96.0
28	87.0	96.0
29	87.0	96.0
30	87.0	96.0
31	87.0	96.0
32	87.0	96.0
33	87.0	96.0
34	87.0	96.0
35	87.0	96.0
36	87.0	96.0
37	87.0	96.0
38	87.0	96.0
39	87.0	96.0
40	87.0	96.0
41	87.0	96.0
42	87.0	96.0
43	87.0	96.0
44	87.0	96.0
45	87.0	96.0
46	87.0	96.0
47	87.0	96.0
48	87.0	96.0
49	87.0	96.0
50	87.0	96.0
51	87.0	96.0
52	87.0	96.0
53	87.0	96.0
54	87.0	96.0
55	87.0	96.0
56	87.0	96.0
57	87.0	96.0
58	87.0	96.0
59	87.0	96.0
60	87.0	96.0
61	87.0	96.0
62	87.0	96.0
63	87.0	96.0
64	87.0	96.0
65	87.0	96.0
66	87.0	96.0
67	87.0	96.0
68	87.0	96.0
69	87.0	96.0
70	87.0	96.0
71	87.0	96.0
72	87.0	96.0
73	87.0	96.0
74	87.0	96.0
75	87.0	96.0
76	87.0	96.0
77	87.0	96.0
78	87.0	96.0
79	87.0	96.0
80	87.0	96.0
81	87.0	96.0
82	87.0	96.0
83	87.0	96.0
84	87.0	96.0
85	87.0	96.0
86	87.0	96.0
87	87.0	96.0
88	87.0	96.0
89	87.0	96.0
90	87.0	96.0
91	87.0	96.0
92	87.0	96.0
93	87.0	96.0
94	87.0	96.0
95	87.0	96.0
96	87.0	96.0
97	87.0	96.0
98	87.0	96.0
99	87.0	96.0
100	87.0	96.0

Elevat 2510
K.B.

Drilling Measured From	Kelly Bushing	2498
------------------------	---------------	------

	3/8/2022
--	----------

	CNL/CDL/ML/DIL

2042	
5043	

Interval	5042
----------	------

Chemical	0000
----------	------

L	4200
---	------

Full

1	126
4 Hours	

ation	P-108	HAYS
-------	-------	------

J. Henrickson	
John Goldsmith	

Whole Record	
--------------	--

1011	10	8
0	313	

313	TD	
-----	----	--

--	--	--	--	--

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and Midwest Wireline LLC cannot and does not guarantee the accuracy or correctness of any interpretation, and Midwest Wireline LLC will not be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees.

Comments

N/A DENOTES NOT AVAILABLE OR NON-APPLICABLE.

Jetmore Kansas

South to Horseshoe Rd, 1 West, 1/2 South,
West Into

Log Measured From: Kelly Bushing 12 Ft. Above Permanent Datum

THANK YOU FOR USING MIDWEST WIRELINE LLC
785-625-3858

Your Midwest Wireline Crew

Engineer: J. Henrickson
Operator:
Operator:
Operator:

This Log Record Was Witnessed By

Primary Witness: John Goldsmith
Secondary Witness:
Secondary Witness:
Secondary Witness:



DETAIL SECTION

MAIN PASS

Database File ritchie_fischer_10a_1.db
Dataset Pathname stackml/pass4.1
Presentation Format RITCHC~1
Dataset Creation Tue Mar 08 23:20:11 2022
Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	MN	30	DENSITY POROSITY (pu)	0	SHALLOW GUARD
150	GR (GAPI)	300	(Ohm-m)	30	NEUTRON POROSITY (pu)	0	(Ohm-m) 2000
6	CALIPER (in)	16	0 20				MEDIUM INDUCTION
2.875	DCAL (in)	7.875	MI			0.2	(Ohm-m) 2000
-200	SP (mV)	0	(Ohm-m)				DEEP INDUCTION
		0	0 20			0.2	(Ohm-m) 2000















