



SEGMENTED CEMENT BOND LOG

Country USA

Company SHELBY RESOURCES, LLC.

Well I-T UNIT #1

Field UNNAMED

County PRATT

State KANSAS

Country USA

Location: API #: 15-151-22543-0000
180' FSL & 2310' FWL
S2/SE/SE/SW

SEC 27 TWP 28S RGE 14W

Permanent Datum GROUND LEVEL Elevation 1980

Log Measured From KELLY BUSHING 12' A.G.L.

Drilling Measured From KELLY BUSHING

Elevation

K.B. 1992
D.F. 1990
G.L. 1980

Date 4-15-2022

Run Number ONE

Depth Driller 4750

Depth Logger 4502

Bottom Logged Interval 4500

Top Log Interval 2450

Open Hole Size 7 7/8"

Type Fluid WATER

Density / Viscosity

Max. Recorded Temp.

Estimated Cement Top 2530

Time Well Ready

Time Logger on Bottom

Equipment Number 0775

Location HAYS, KS

Recorded By WEEDEN

Witnessed By CHRIS GOTTSCHALK

Run Number

Bit From To

Size

Weight

From To

Top Bottom

Size

Top Bottom

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES (785) 628-6395


DIRECTIONS: FROM PRATT, KS. S 5 MILES ON HWY 281 TO SW 50RD.
5 1/2 WEST, N INTO








MAIN PASS


Database File	4-15-22 shelbly i-1unit 1.db
Dataset Pathname	pass2.9
Presentation Format	sector1
Dataset Creation	Fri Apr 15 13:07:43 2022
Charted by	Depth in Feet scaled 1:240


0	GR (GAPI)	150	9	CCL	-1	200	WVF5FT (usec)	1000	1	Sector Map	8
200	TT3FT (usec)	1000	0	AMPS1	300						
0	AMP3FT (mV)	100	0	AMPS2	300						
			0	AMPS3	300						
			0	AMPS4	300						
			0	AMPS5	300						
			0	AMPS6	300						
			0	AMPS7	300						
			0	AMPS8	300						

















3500


3550

3600

3650

3700









3750

3800

3850

3900






3950




4000


4050

4100



MARKER JOINT





4150

4200

4250

4300

4350

