



MICRO LOG

Company SHELBY RESOURCES, LLC.		Company SHELBY RESOURCES, LLC.	
Well I-T UNIT #1		Well I-T UNIT #1	
Field UNNAMED		Field UNNAMED	
County PRATT		County PRATT	
State KANSAS		State KANSAS	
Location:		API # : 15-151-22543-0000	
Permanent Datum SEC 27 TWP 28S RGE 14W		180' FSL & 2310' FWL	
Log Measured From KELLY BUSHING 12' A.G.L.		S2/SE/SE/SW	
Drilling Measured From KELLY BUSHING		GROUND LEVEL Elevation 1980	
		Elevation K.B. 1992 D.F. 1990 G.L. 1980	
Date 4/6/22	Run Number TWO		
Depth Driller 4750	Depth Logger 4749		
Bottom Logged Interval 4731	Top Log Interval 3000		
Casing Driller 8 5/8" @ 823	Casing Logger 823		
Bit Size 7 7/8	Type Fluid in Hole CHEMICAL MUD	CHLORIDES 7000 PPM	
Density / Viscosity 9.1/45	pH / Fluid Loss 9.0/8.8		
Source of Sample FLOWLINE	Rm @ Meas. Temp .95@65F		
Rmf @ Meas. Temp .71@65F	Rmc @ Meas. Temp 1.14@65F		
Source of Rmf / Rmc MEASUREMENT	Rm @ BHT .50@123F		
Time Circulation Stopped 2 HOURS	Time Logger on Bottom		
Maximum Recorded Temperature 123F	Equipment Number 3802		
Location HAYS, KANSAS	Recorded By TJ DREILING		
Witnessed By JEREMY SCHWARTZ			


<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS


-FROM PRATT, KANSAS, -SOUTH 5 MILES ON HIGHWAY 281 TO SW 50 RD,
-5 1/2 MILES WEST, -NORTH INTO




MAIN SECTION

Database File	6384pe.db
Dataset Pathname	pass6.1
Presentation Format	_micro
Dataset Creation	Wed Apr 06 08:53:31 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		








3200


3250

3300

3350










3650


3700


3750


3800











4500

4550


4600



4650

4700

ABHV
5.5 CSG

TBHV







REPEAT SECTION

Database File 6384pe.db
 Dataset Pathname pass5.1
 Presentation Format _micro
 Dataset Creation Wed Apr 06 08:25:06 2022
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		





Calibration Report			
Database File	6384pe.db		
Dataset Pathname	pass6.1		
Dataset Creation	Wed Apr 06 08:53:31 2022		
MICRO_USR Calibration Report			
Serial Number:	070910		
Tool Model:	ProbeL		
Performed:	Sun Jan 23 09:07:22 2022		
Caliper Calibration:	Gain=7.192	Offset=3.002	
References	Low Cal	High Cal	
Readings	8.000	14.000	
	0.723	1.557	
1.5" Calibration:	Gain=35.000	Offset=1.000	
References	Low Cal	High Cal	
Readings	0.000	20.000	
	0.004	1.335	

2" Calibration:	Gain=65.000	Offset=-1.000
References	Low Cal	High Cal
Readings	0.000	20.000
	0.004	1.029

Microlog Calibration Report

Serial-Model: Performed:	070910-ProbeL (Not Performed)
-----------------------------	----------------------------------

	Readings			References			Results	
	Zero	Cal		Zero	Cal		m	b
Normal	0.0000	1.0000	V	0.0000	1.0000	Ohm-m	1.0000	0.0000
Inverse	0.0000	1.0000	V	0.0000	1.0000	Ohm-m	1.0000	0.0000
Caliper	0.0000	1.0000	V	0.0000	1.0000	in	1.0000	0.0000

Gamma Ray Calibration Report

Serial Number:	070558	
Tool Model:	Probe1	
Performed:	Fri Oct 30 21:32:56 2020	
Calibrator Value:	1.0	GAPI
Background Reading:	0.0	cps
Calibrator Reading:	1.0	cps
Sensitivity:	0.2700	GAPI/cps