



Top - Bottom

A	BOREID	BOTTEMP	CASEOD	CASETHCK	FLUIDDEN	M	MATRXDEN
1	in 7.875	degF 124	in 5.5	in 0	g/cc 1	2	g/cc 2.71
NPORSEL	PERFS	SNDERR	SNDERRM	SPSHIFT	SRFTEMP	SZCOR	TDEPTH
Limestone	0	mmho/m 0	mmho/m 0	mV 460	degF 50	Off	ft 5043


Sensor	Offset (ft)	Schematic	Description	Length (ft)	O.D. (in)	Weight (lb)
			CENT-PENGO	4.25	3.00	70.00
WVF4 WVF1	12.50 12.50		SLT-PENGO (602)	15.92	3.50	300.00
WVF3 WVF2	10.50 10.50					







Dataset: ritchie_fischer_10a_1.db: field/well/sonic/pass2
Total length: 24.42 ft
Total weight: 440.00 lb
O.D.: 3.50 in



Database File	ritchie_fischer_10a_1.db
Dataset Pathname	stackml/pass7.1
Presentation Format	_sonic
Dataset Creation	Wed Mar 09 00:07:12 2022
Charted by	Depth in Feet scaled 1:240



0	Gamma Ray (GAPI)	150	Sonic Int	140	Delta Time (usec/ft) (usec/ft)	40
150	GR (GAPI)	300	5 (msec) 0	30	Sonic Porosity (pu) (pu)	-10
6	Caliper (in)	16		15000	Line Tension (lb)	0















































































0	Gamma Ray (GAPI)	150	Sonic Int	140	Delta Time (usec/ft) (usec/ft)	40
150	GR (GAPI)	300	5 (msec) 0	30	Sonic Porosity (pu) (pu)	-10
6	Caliper (in)	16		15000	Line Tension (lb)	0




MIDWEST WIRELINE


REPEAT SECTION

REPEAT PASS

Database File ritchie_fischer_10a_1.db
 Dataset Pathname stackml/pass2.1
 Presentation Format _sonic
 Dataset Creation Tue Mar 08 23:13:05 2022
 Charted by Depth in Feet scaled 1:240

0	Gamma Ray (GAPI)	150	Sonic Int	140	Delta Time (usec/ft) (usec/ft)	40
150	GR (GAPI)	300	5 (msec) 0	30	Sonic Porosity (pu) (pu)	-10
6	Caliper (in)	16		15000	Line Tension (lb)	0





Company	Ritchie Exploration, Inc.
Well	Fischer 10A #1
Field	Unnamed
County	Ford
State	Kansas