



MICRO LOG

Company SHELBY RESOURCES, LLC.		Company SHELBY RESOURCES, LLC.	
Well SHRIVER TRUST #1-32		Well SHRIVER TRUST #1-32	
Field UNNAMED		Field UNNAMED	
County PRATT		County PRATT	
State KANSAS		State KANSAS	
Location: API #: 15-151-22547-0000		Other Services PE/CDL/CNL DIL/SON	
SEC 32 TWP 28S RGE 14W		Elevation	
Permanent Datum GROUND LEVEL Elevation 2030		K.B. 2042	
Log Measured From KELLY BUSHING 12' A.G.L.		D.F. 2040	
Drilling Measured From KELLY BUSHING		G.L. 2030	
Date 6/15/22	Run Number TWO		
Depth Driller	4775		
Depth Logger	4774		
Bottom Logged Interval	4758		
Top Log Interval	3000		
Casing Driller	8 5/8"@906'		
Casing Logger	906		
Bit Size	7 7/8		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 10,000 PPM	
Density / Viscosity	9.2/74		
pH / Fluid Loss	9.0/8.8		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.00@80F		
Rmf @ Meas. Temp	.750@80F		
Rmc @ Meas. Temp	1.20@80F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.650@123F		
Time Circulation Stopped	4.5 HOURS		
Time Logger on Bottom	3.30 A.M.		
Maximum Recorded Temperature	123F		
Equipment Number	3802		
Location	HAYS, KANSAS		
Recorded By	COLE ROBEN		
Witnessed By	JEREMY SCHWARTZ		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS


PRATT, KS. WEST 7 MILES TO SW 70TH AVE., SOUTH 5 1/2 MILES TO
SW 60TH ST, WEST 1/4 MILE, NORTH INTO






MAIN SECTION


Database File	6542pe.db
Dataset Pathname	pass7.3
Presentation Format	_micro
Dataset Creation	Wed Jun 15 05:56:10 2022
Charted by	Depth in Feet scaled 1:240


0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0 0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		












3850


3900


3950

4000

4050









4300



4350

4400

4450









REPEAT SECTION

Database File 6542pe.db
 Dataset Pathname pass6.1
 Presentation Format _micro
 Dataset Creation Wed Jun 15 04:48:52 2022
 Charted by Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	0	MEL1.5 (Ohm-m)	40
6	CALIPER (in)	16	10 (ft3)	0	MEL2.0 (Ohm-m)	40
			TBHV			
			0 (ft3)	10		





Calibration Report			
Database File	6542pe.db		
Dataset Pathname	pass7.3		
Dataset Creation	Wed Jun 15 05:56:10 2022		
MICRO_USR Calibration Report			
Serial Number:	070910		
Tool Model:	ProbeL		
Performed:	Tue Jun 07 09:12:25 2022		
Caliper Calibration:	Gain=7.212	Offset=2.700	
References	Low Cal	High Cal	
Readings	8.000	14.000	
	0.725	1.557	
1.5" Calibration:	Gain=30.000	Offset=2.000	

References			Low Cal	High Cal
Readings			0.000	20.000
			0.004	1.335
2" Calibration:			Gain=65.000	Offset=1.200
			Low Cal	High Cal
References			0.000	20.000
Readings			0.004	1.029
Microlog Calibration Report				
Serial-Model:			070910-ProbeL	
Performed:			(Not Performed)	
Readings			References	
			Results	
	Zero	Cal	Zero	Cal
Normal	0.0000	1.0000	V	0.0000
Inverse	0.0000	1.0000	V	0.0000
Caliper	0.0000	1.0000	V	0.0000
Gamma Ray Calibration Report				
Serial Number:			070558	
Tool Model:			Probe1	
Performed:			Tue May 17 15:23:49 2022	
Calibrator Value:			1.0	GAPI
Background Reading:			0.0	cps
Calibrator Reading:			1.0	cps
Sensitivity:			0.2200	GAPI/cps