

SONIC LOG

Company		SHELBY RESOURCES, LLC.	
Well		SHRIVER TRUST #1-32	
Field		UNNAMED	
County		PRATT	
State		KANSAS	
Location:		API # : 15-151-22547-0000	
Permanent Datum		GROUND LEVEL Elevation 2030	
Log Measured From		KELLY BUSHING 12' A.G.L.	
Drilling Measured From		KELLY BUSHING	
SEC 32 TWP 28S RGE 14W		Elevation K.B. 2042 D.F. 2040 G.L. 2030	
445' FSL & 850' FEL			
Date		6/15/22	
Run Number		TWO	
Depth Driller		4775	
Depth Logger		4774	
Bottom Logged Interval		4766	
Top Log Interval		850	
Casing Driller		8 5/8"@906'	
Casing Logger		906	
Bit Size		7 7/8	
Type Fluid in Hole		CHEMICAL MUD	
Density / Viscosity		9.2/74	
pH / Fluid Loss		9.0/8.8	
Source of Sample		FLOWLINE	
Rm @ Meas. Temp		1.00@80F	
Rmt @ Meas. Temp		.750@80F	
Rmc @ Meas. Temp		1.20@80F	
Source of Rmf / Rmc		MEASUREMENT	
Rm @ BHT		.650@123F	
Time Circulation Stopped		4.5 HOURS	
Time Logger on Bottom		3.30 A.M.	
Maximum Recorded Temperature		123F	
Equipment Number		3802	
Location		HAYS, KANSAS	
Recorded By		COLE ROBEN	
Witnessed By		JEREMY SCHWARTZ	


<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

Comments

THANK YOU FOR USING ELI WIRELINE SERVICES, HAYS, KS. (785) 628-6395
DIRECTIONS


PRATT, KS. WEST 7 MILES TO SW 70TH AVE., SOUTH 5 1/2 MILES TO
SW 60TH ST, WEST 1/4 MILE, NORTH INTO




MAIN SECTION

Database File	6542pe.db
Dataset Pathname	pass7.4
Presentation Format	_slt
Dataset Creation	Wed Jun 15 06:11:40 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)	40
6	CALIPER (in)	16	10 (ft3) 0	30	SONIC POROSITY (pu)	-10
			TBHV	0	ITT (msec)	20
			0 (ft3) 10			








1000


1050

1100

1150









1450


1500


1550

1600











2100

2150

2200

2250







2300


2350


2400


2450


2500













3200


3250


3300

3350










3850


3900


3950


4000


4050











REPEAT SECTION

Database File 6542pe.db
 Dataset Pathname pass6.1
 Presentation Format _slt
 Dataset Creation Wed Jun 15 04:48:52 2022
 Charted by Depth in Feet scaled 1:240

