

TRIPLE COMBO LOG

Company	Company NEC OPERATING - KANSAS, LLC.		
Well	BUSHWHACKER #1		
Field	GRIGSTON NORTHEAST		
County	SCOTT	State	KANSAS
Location:	API # : 15-171-21317-0000		Other Services CDL/CNL/PE DIL/MEL
SEC 2 TWP 19S RGE 31W		Elevation	
Permanent Datum	GROUND LEVEL	Elevation	2926
Log Measured From	KELLY BUSHING 11' A.G.L	K.B. 2937	
Drilling Measured From	KELLY BUSHING	D.F. 2935	
		G.L. 2926	
Date	3/2/24		
Run Number	ONE		
Depth Driller	4700		
Depth Logger	4700		
Bottom Logged Interval	4698		
Top Log Interval	3500		
Casing Driller	8.675@352		
Casing Logger	352		
Bit Size	7.785		
Type Fluid in Hole	CHEMICAL MUD	CHLORIDES 1,400 PPM	
Density / Viscosity	9.2/60		
pH / Fluid Loss	11.0/7.2		
Source of Sample	FLOWLINE		
Rm @ Meas. Temp	1.50@61F		
Rmf @ Meas. Temp	1.13@61F		
Rmc @ Meas. Temp	1.80@61F		
Source of Rmf / Rmc	MEASUREMENT		
Rm @ BHT	.750@122F		
Time Circulation Stopped	2 HOURS		
Time Logger on Bottom	5.45 A.M.		
Maximum Recorded Temperature	122F		
Equipment Number	922339		
Location	HAYS, KANSAS		
Recorded By	JEFF LUEBBERS	JEREMEY PASEK	
Witnessed By	KEATON JONES		

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-171-21317-0000

Comments


THANK YOU FOR USING ELI WIRELINE HAYS. KANSAS (785) 628-6395
DIRECTIONS
GRIGSTON, KS., W. ON HWY 96 TO "VENISON RD.", 3S., 3/4E., S. INTO









MAIN SECTION


Database File	8417pe.db
Dataset Pathname	pass4.1L
Presentation Format	obrcompcol
Dataset Creation	Sat Mar 02 08:52:04 2024
Charted by	Depth in Feet scaled 1:240


0	Gamma Ray (GAPI)	150	MEL15	0.2	Deep Resistivity (Ohm-m)	200	30	CN Porosity (pu)	-10	
-100	SP (mV)	100	(Ohm-m)	0.2	Medium Resistivity (Ohm-m)	200	30	Density Porosity (pu)	-10	
-200	RxoRt	100	0	40	0.2	Shallow Resistivity (Ohm-m)	200	0	PE	20
6	DCAL (in)	16	MEL20						RHOC	
6	MELCAL (in)	16	(Ohm-m)						-0.25 (g/cc)	0.25
			0	40						
			TBHV (ft3)							
			ABHV (ft3)							














0	Gamma Ray (GAPI)	150	MEL15	0.2	Deep Resistivity (Ohm-m)	200	30	CN Porosity (pu)	-10	
-100	SP (mV)	100	(Ohm-m)	0.2	Medium Resistivity (Ohm-m)	200	30	Density Porosity (pu)	-10	
-200	RxoRt	100	0	40	0.2	Shallow Resistivity (Ohm-m)	200	0	PE	20
6	DCAL (in)	16	MEL20						RHOC	
6	MELCAL (in)	16	(Ohm-m)						-0.25 (g/cc)	0.25
			0	40						