



SONIC LOG

Company SHELBY RESOURCES, LLC.

Well ROCKY #1-26

Field INGRAM

County PRATT State KANSAS

Location: 933' FSL & 605' FWL API #: 15-151-22553-0000

Other Services
CDL/CNL/PE
DIL/MEL

SEC 26 TWP 28S RGE 14W

Permanent Datum GROUND LEVEL Elevation 1962
Log Measured From KELLY BUSHING 12' A.G.L.
Drilling Measured From KELLY BUSHING

Elevation
K.B. 1974
D.F. 1972
G.L. 1962

Date 8/20/22

Run Number TWO

Depth Driller 4793

Depth Logger 4794

Bottom Logged Interval 4786

Top Log Interval 800

Casing Driller 8 5/8" @ 826'

Casing Logger 826

Bit Size 7 7/8"

Type Fluid in Hole CHEMICAL MUD

Density / Viscosity 9.3/55

pH / Fluid Loss 9.5/9.6

Source of Sample FLOWLINE

Rm @ Meas. Temp .600 @ 80F

Rmf @ Meas. Temp .450 @ 80F

Rmc @ Meas. Temp .720 @ 80F

Source of Rmf / Rmc MEASUREMENT

Rm @ BHT .390 @ 123F

Time Circulation Stopped 4.5 HOURS

Time Logger on Bottom 7:00 A.M.

Maximum Recorded Temperature 123F

Equipment Number 922339

Location HAYS, KANSAS

Recorded By JEFF LUEBBERS

Witnessed By JEREMY SCHWARTZ

<<< Fold Here >>>

All interpretations are opinions based on inferences from electrical or other measurements and we cannot and do not guarantee the accuracy or correctness of any interpretation, and we shall not, except in the case of gross or willful negligence on our part, be liable or responsible for any loss, costs, damages, or expenses incurred or sustained by anyone resulting from any interpretation made by any of our officers, agents or employees. These interpretations are also subject to our general terms and conditions set out in our current Price Schedule.

15-151-22553-0000

Comments

THANK YOU FOR USING ELI WIRELINE HAYS, KANSAS (785) 628-6395
DIRECTIONS
PRATT, KS., 5S. ON HWY 281 TO "50TH ST.", 5W., N. INTO





MAIN SECTION

Database File	6907pe.db
Dataset Pathname	pass6.2
Presentation Format	slt
Dataset Creation	Sat Aug 20 09:01:44 2022
Charted by	Depth in Feet scaled 1:240

0	GAMMA RAY (GAPI)	150	ABHV	140	DELTA TIME (usec/ft)		40	
6	CALIPER (in)	16	10 (ft3)	0	30	SONIC POROSITY (pu)		-10

0	MINMK	20	TBHV	0	ITT (msec)		20	
			0 (ft3)	10				







1000

1050


1100


1150





1200
1250
1300
1350
1400







1450


1500

1550

1600









1900

1950

2000

2050







2100


2150

2200

2250










2550


2600

2650

2700









3000


3050

3100

3150








3400


3450


3500

3550

3600








3850


3900


3950

4000

4050









4300


4350

4400

4450







REPEAT SECTION

Database File 6907pe.db
 Dataset Pathname pass5.1
 Presentation Format slt
 Dataset Creation Sat Aug 20 08:59:07 2022
 Charted by Depth in Feet scaled 1:240

